

Разъемы Luer

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ccb@nt-rt.ru || сайт: <https://cpc.nt-rt.ru>

FitQuik - Luer Connectors

Luer Connectors are a common choice for limited use or disposable applications where a shutoff valve is not required. FitQuik® luer fittings are suitable for small flow applications, typically less than 1/4", and feature parting line-free hose barbs. They mate with luers manufactured to ISO Standards 594-1 and 594-2 and are the preferred choice when looking for high quality, precision molded fluid components.



LF2133

Luer Fitting, female luer X 1/16 HB, Blue Nylon



LF8130

Luer Fitting, female luer X 1/4 HB, White Nylon



LF8191

Luer Fitting, female luer X 1/4 HB, Polycarbonate



LM2133

Luer Fitting, male luer X 1/16 HB, Blue Nylon



LM8130

Luer Fitting, male luer X 1/4 HB, White Nylon



ALF41

Luer A-Barb Fitting, 1/8" HB x Female Luer, Natural Polypropylene



ALF4130

Luer A-Barb Fitting, 1/8" HB x Female Luer, White Nylon



ALF4131

Luer A-Barb Fitting, 1/8" HB x Female Luer, Black Nylon



ALF51

Luer A-Barb Fitting, 5/32" HB x Female Luer, Natural Polypropylene



ALF5131

Luer A-Barb Fitting, 5/32" HB x Female Luer, Black Nylon



LCAP

Luer Fitting, luer cap, Natural Polypropylene

**LCAP30**

Luer Fitting, luer cap, White Nylon

**LCAP31**

Luer Fitting, luer cap, Black Nylon

**LCAP70**

Luer Fitting, Luer Cap, Natural PVDF

**LCAP91**

Luer Fitting, luer cap, Purple Tint Polycarbonate

**LF21**


Luer Fitting, female luer X 1/16 HB, Natural Polypropylene

**LF2130**

Luer Fitting, female luer X 1/16 HB, White Nylon

**LF2131**

Luer Fitting, female luer X 1/16 HB, Black Nylon

**LF2135**

Luer Fitting, female luer X 1/16 HB, Green Nylon

**LF2170**

Luer Fitting, Female Luer 1/16 HB, Natural PVDF

**LF2191**

Luer Fitting, female luer X 1/16 HB, Purple Tint Polycarbonate

**LF31**

Luer Fitting, female luer X 3/32 HB, Natural Polypropylene

**LF3130**

Luer Fitting, female luer X 3/32 HB, White Nylon

**LF3131**

Luer Fitting, female luer X 3/32 HB,
Black Nylon

**LF3191**

Luer Fitting, female luer X 3/32 HB,
Purple Tint Polycarbonate

**LF41**

Luer Fitting, female luer X 1/8 HB,
Natural Polypropylene

**LF4130**

Luer Fitting, female luer X 1/8 HB,
White Nylon

**LF4131**

Luer Fitting, female luer X 1/8 HB,
Black Nylon

**LF4191**

Luer Fitting, female luer X 1/8 HB,
Purple Tint Polycarbonate

**LF51**

Luer Fitting, female luer X 5/32 HB,
Natural Polypropylene

**LF5130**

Luer Fitting, female luer X 5/32 HB,
White Nylon

**LF5131**

Luer Fitting, female luer X 5/32 HB,
Black Nylon

**LF5170**

Luer Fitting, Female Luer 5/32 HB,
Natural PVDF

**LF5191**

Luer Fitting, female luer X 5/32 HB,
Purple Tint Polycarbonate

**LF61**

Luer Fitting, female luer X 3/16 HB,
Natural Polypropylene



LF6130

Luer Fitting, female luer X 3/16 HB,
White Nylon



LF6131

Luer Fitting, female luer X 3/16 HB,
Black Nylon



LF6191

Luer Fitting, female luer X 3/16 HB,
Purple Tint Polycarbonate




LF8170

Luer Fitting, Female Luer 1/4 HB,
Natural PVDF



LFT30

Luer Tee Fitting, Nylon White



LFU91

Luer Straight Fitting, Female Luer to
Female Luer, Natural Polycarbonate



LM21

Luer Fitting, male luer X 1/16 HB,
Natural Polypropylene



LM2130

Luer Fitting, male luer X 1/16 HB,
White Nylon



LM2131

Luer Fitting, male luer X 1/16 HB,
Black Nylon



LM2135

Luer Fitting, male luer X 1/16 HB,
Green Nylon



LM2136

Luer Fitting, male luer X 1/16 HB,
Orange Nylon



LM2170

Luer Fitting, Male Luer 1/16 HB,
Natural PVDF



LM2191

Luer Fitting, male luer X 1/16 HB,
Purple Tint Polycarbonate



LM31

Luer Fitting, male luer X 3/32 HB,
Natural Polypropylene



LM3130

Luer Fitting, male luer X 3/32 HB,
White Nylon



LM3131

Luer Fitting, male luer X 3/32 HB,
Black Nylon



LM3170

Luer Fitting, Male Luer 3/32 HB,
Natural PVDF



LM3191

Luer Fitting, male luer X 3/32 HB,
Purple Tint Polycarbonate



LM41

Luer Fitting, male luer X 1/8 HB,
Natural Polypropylene



LM4130

Luer Fitting, male luer X 1/8 HB,
White Nylon



LM4131

Luer Fitting, male luer X 1/8 HB,
Black Nylon



LM4170

Luer Fitting, Male Luer 1/8 HB,
Natural PVDF



LM4191

Luer Fitting, male luer X 1/8 HB,
Purple Tint Polycarbonate



LM51

Luer Fitting, male luer X 5/32 HB,
Natural Polypropylene



LM5101

Luer Fitting, male luer X 5/32 HB,
with Lock Ring, Molded Black
Polypropylene



LM5130

Luer Fitting, male luer X 5/32 HB,
White Nylon



LM5131

Luer Fitting, male luer X 5/32 HB,
Black Nylon



LM5191

Luer Fitting, male luer X 5/32 HB,
Purple Tint Polycarbonate



LM61

Luer Fitting, male luer X 3/16 HB,
Natural Polypropylene



LM6130

Luer Fitting, male luer X 3/16 HB,
White Nylon



LM6131

Luer Fitting, male luer X 3/16 HB,
Black Nylon



LM6191

Luer Fitting, male luer X 3/16 HB,
Purple Tint Polycarbonate



LM8170

Luer Fitting, Male Luer 1/4 HB,
Natural PVDF



LMSL

Ring, Stationary luer lock, Natural
Polypropylene



LMSL30

Ring, Stationary luer lock, White
Nylon



LMSL31

Ring, Stationary luer lock, Black
Nylon

**LMSL32**

Ring, Stationary luer lock, Yellow Nylon

**LMSL33**

Ring, Stationary luer lock, Blue Nylon

**LMSL34**

Ring, Stationary luer lock, Red Nylon

**LMSL35**

Ring, Stationary luer lock, Green Nylon

**LMSL36**

Ring, Stationary luer lock, Orange Nylon

**LMSL91**

Ring Fitting, Stationary luer lock, Purple Tint Polycarbonate

**LMSR**

Ring, Rotating luer lock, Natural Polypropylene

**LMSR30**

Ring, Rotating luer lock, White Nylon

**LMSR31**

Ring, Rotating luer lock, Black Nylon

**LMSR32**

Ring, Rotating luer lock, Yellow Nylon

**LMSR33**

Ring, Rotating luer lock, Blue Nylon

**LMSR34**

Ring, Rotating luer lock, Red Nylon

**LMSR35**

Ring, Rotating luer lock, Green Nylon

**LMSR36**

Ring, Rotating luer lock, Orange Nylon

**LMSR70**

Ring, Rotating Luer Lock, Natural PVDF

**LMSR91**

Ring Fitting, Rotating luer lock, Purple Tint Polycarbonate

**LPLUG**

Luer Fitting, luer plug, Natural Polypropylene

**LPLUG30**

Luer Fitting, luer plug, White Nylon

**LPLUG31**

Luer Fitting, luer plug, Black Nylon

**LPLUG32**

Luer Fitting, male luer plug with lock ring, Yellow Nylon

**LPLUG34**

Luer Fitting, male luer plug with lock ring, Red Nylon

**LPLUG70**

Luer Fitting, Luer Plug, Natural PVDF

**LPLUG91**

Luer Fitting, male luer plug with lock ring, Purple Tint Polycarbonate

**PMLF21**

Luer Fitting, panel mount female luer X 1/16 HB, Natural Polypropylene



PMLF2130

Luer Fitting, panel mount female
Luer X 1/16 HB, White Nylon



PMLF2131

Luer Fitting, panel mount female
Luer X 1/16 HB, Black Nylon



PMLF2170

Luer Fitting, Panel Mount Female
Luer x 1/16 HB, Natural PVDF



PMLF31

Luer Fitting, panel mount female
Luer X 3/32 HB, Natural
Polypropylene



PMLF3130

Luer Fitting, panel mount female
Luer X 3/32 HB, White Nylon



PMLF3131

Luer Fitting, panel mount female
Luer X 3/32 HB, Black Nylon



PMLF3170

Luer Fitting, Panel Mount Female
Luer x 3/32 HB, Natural PVDF



PMLF41

Luer Fitting, panel mount female
Luer X 1/8 HB, Natural Polypropylene



PMLF4130

Luer Fitting, panel mount female
Luer X 1/8 HB, White Nylon



PMLF4131

Luer Fitting, panel mount female
Luer X 1/8 HB, Black Nylon



PMLF4170

Luer Fitting, Panel Mount Female
Luer x 1/8 HB, Natural PVDF



PMLM21

Luer Fitting, panel mount male Luer
X 1/16 HB, Natural Polypropylene



PMLM2130

Luer Fitting, panel mount male luer
X 1/16 HB, White Nylon



PMLM2131

Luer Fitting, panel mount male luer
X 1/16 HB, Black Nylon



PMLM31

Luer Fitting, panel mount male luer
X 3/32 HB, Natural Polypropylene



PMLM3130

Luer Fitting, panel mount male luer
X 3/32 HB, White Nylon



PMLM3131

Luer Fitting, panel mount male luer
X 3/32 HB, Black Nylon



PMLM3170

Luer Fitting, Panel Mount Male Luer
x 3/32 HB, Natural PVDF



SLM2131

Luer Fitting, male slip luer X 1/16
HB, Black Nylon



SLM2170

Luer Fitting, Male Slip Luer x 1/16
HB, Natural PVDF



SLM31

Luer Fitting, male slip luer X 3/32
HB, Natural Polypropylene



SLM3130

Luer Fitting, male slip luer X 3/32
HB, White Nylon



SLM3131

Luer Fitting, male slip luer X 3/32
HB, Black Nylon



SLM3170

Luer Fitting, Male Slip Luer x 3/32
HB, Natural PVDF



PMLM41

Luer Fitting, panel mount male luer X 1/8 HB, Natural Polypropylene



PMLM4130

Luer Fitting, panel mount male luer X 1/8 HB, White Nylon



PMLM4131

Luer Fitting, panel mount male luer X 1/8 HB, Black Nylon



PMLM4170

Luer Fitting, Panel Mount Male Luer x 1/8 HB, Natural PVDF



SLM21

Luer Fitting, male slip luer X 1/16 HB, Natural Polypropylene



SLM2130

Luer Fitting, male slip luer X 1/16 HB, White Nylon



SLM3191

Luer Fitting, male slip luer X 3/32 HB, Purple Tint Polycarbonate



SLM41

Luer Fitting, male slip luer X 1/8 HB, Natural Polypropylene



SLM4130

Luer Fitting, male slip luer X 1/8 HB, White Nylon



SLM4131

Luer Fitting, male slip luer X 1/8 HB, Black Nylon



SLM4170

Luer Fitting, Male Slip Luer x 1/8 HB, Natural PVDF



SLM4191

Luer Fitting, male slip luer X 1/8 HB, Purple Tint Polycarbonate



SLM51

Luer Fitting, male slip luer X 5/32
HB, Natural Polypropylene



SLM5130

Luer Fitting, male slip luer X 5/32
HB, White Nylon



SLM5131

Luer Fitting, male slip luer X 5/32
HB, Black Nylon



SLM5170

Luer Fitting, Male Slip Luer x 5/32
HB, Natural PVDF



SLM5191

Luer Fitting, male slip luer X 5/32
HB, Purple Tint Polycarbonate



SLM61

Luer Fitting, male slip luer X 3/16
HB, Natural Polypropylene



SLM6130

Luer Fitting, male slip luer X 3/16
HB, White Nylon



SLM6131

Luer Fitting, male slip luer X 3/16
HB, Black Nylon



SLM6170

Luer Fitting, Male Slip Luer x 3/16
HB, Natural PVDF



SLM6191

Luer Fitting, male slip luer X 3/16
HB, Purple Tint Polycarbonate



SLMU

Luer Fitting, Male Slip Luer x Male
Slip Luer, Natural Polypropylene



SLMU30

Luer Fitting, Male Slip Luer x Male
Slip Luer, White Nylon



LCP30

Luer Fitting, Luer Cap, Male/Female Luer Cap/plug



PMNUT30

Panel Mount Nut, 1/4-28 UNF, White Nylon



PMNUTSST

Panel Mount Nut, 1/4-28 UNF, Stainless Steel



PMRL

Ring, Color code, Natural Polypropylene



PMRL30

Ring, Color code, White Nylon



PMRL31

Ring, Color code, Black Nylon



PMRL32

Ring, Color code, Yellow Nylon



PMRL33

Ring, Color code, Blue Nylon



PMRL34

Ring, Color code, Red Nylon



PMRL35

Ring, Color code, Green Nylon



PMRL36

Ring, Color code, Orange Nylon

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новокузнецк (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: ccb@nt-rt.ru || сайт: <https://cpc.nt-rt.ru>